



US00D363389S

# United States Patent [19] Leib

[11] Patent Number: Des. 363,389  
[45] Date of Patent: \*\*Oct. 24, 1995

[54] TANDEM SEATING

4,784,435 11/1988 Leib .

[76] Inventor: **Roger K. Leib**, 208 S. McCadden Pl.,  
Los Angeles, Calif. 90004-1054

[\*\*] Term: **14 Years**

[21] Appl. No.: **24,319**

[22] Filed: **Jun. 13, 1994**

[52] U.S. Cl. .... **D6/381**; D6/379

[58] Field of Search ..... D6/334, 335, 336,  
D6/374, 375, 379, 380, 381, 500, 501,  
502; 297/232

## OTHER PUBLICATIONS

Interiors, Jul. 1983, p. 146, Seating Unit at top left.

Interiors, May 1985, p. 212, Chair at bottom left.

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Gary D. Watson

*Attorney, Agent, or Firm*—Steven G. Roeder; Sheldon &  
Mak, Inc.

## [57] CLAIM

The ornamental design for tandem seating, as shown and  
described.

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 183,768	10/1958	Robinson	.....	D6/379
D. 190,907	7/1961	Kasparian	.....	D6/379
D. 190,908	7/1961	Kasparian	.....	D6/379
D. 199,435	10/1964	Carr	.....	D6/379
D. 238,222	12/1975	Eberle	.....	D6/375
D. 258,924	4/1981	Deschamps et al.	.....	D6/375
D. 267,757	2/1983	Leib	.	
D. 278,104	3/1985	Dunbar et al.	.....	D6/379
D. 308,305	6/1990	Snodgrass	.....	D6/379
D. 309,991	8/1990	Miller	.....	D6/380
D. 312,005	11/1990	Snodgrass	.....	D6/379
D. 318,578	7/1991	Leib	.	
D. 323,250	1/1992	Leib	.	
D. 350,445	9/1994	Chororos et al.	.....	D6/379
2,064,424	12/1936	Gittings	.	
2,122,935	7/1938	Fleischer	.	
2,979,122	4/1961	Knoll	.	
4,529,246	7/1985	Leib	.	
4,555,139	11/1985	Leib	.	
4,595,235	6/1986	Leib	.	

## DESCRIPTION

FIG. 1 is a front perspective view of tandem seating accord-  
ing to the present invention, the tandem seating comprising  
three seating units;

FIG. 2 is a top plan view of the tandem seating of FIG. 1;  
FIG. 3 is a side elevation view from the right side (as viewed  
in FIG. 1) of the tandem seating of FIG. 1, wherein the left  
side elevation view is a mirror reflection of the view of FIG.  
3;


FIG. 4 is a rear perspective view of the tandem seating of  
FIG. 1;

FIG. 5 is a bottom plan view of the seating of FIG. 1;

FIG. 6 is a perspective view of a second version of tandem  
seating according to the present invention, the tandem  
seating comprising two seating units; and,

FIG. 7 is a perspective view of a third version of tandem  
seating according to the present invention, the tandem  
seating comprising four seating units.

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.






FIG. 6.




FIG. 7.