



US00D363442S

United States Patent [19]

[11] Patent Number: **Des. 363,442**

Mullinix

[45] Date of Patent: ****Oct. 24, 1995**

[54] **PUSH-UP DETECTION DEVICE**

[76] Inventor: **Maurice J. Mullinix**, 4876 Brentridge Ct., Greenwood, Ind. 46143

[**] Term: **14 Years**

[21] Appl. No.: **31,554**

[22] Filed: **Nov. 23, 1994**

[52] U.S. Cl. **D10/97**

[58] Field of Search D10/97; 116/137 R, 116/139; 137/269.5, 270, 271, 884; 200/52 R; 235/1 D, 1 R, 128, 201 ME; 377/24.2, 5; 482/8, 77, 141

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 251,288	3/1979	Myers	D10/97
D. 257,827	1/1981	Strand et al.	D9/563
4,700,369	10/1987	Siegal et al.	.	
5,136,621	8/1992	Mitchell et al.	482/8 X
5,242,355	9/1993	Costa	.	
5,276,426	1/1994	Lo Bello	.	
5,391,080	2/1995	Bernacki et al.	482/8 X

FOREIGN PATENT DOCUMENTS

607156	11/1978	Switzerland	.
84-02660	7/1984	WIPO	.

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Richard C. Litman

[57] **CLAIM**

The ornamental design for a push-up detection device, as shown and described.

DESCRIPTION

FIG. 1 is an environmental left side elevational view in

reduced scale, of a push-up detection device showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top plan view of a second embodiment thereof;

FIG. 8 is a front elevational view of the embodiment of FIG. 6;

FIG. 9 is a left side elevational view of the embodiment of FIG. 6;

FIG. 10 is a right side elevational view of the embodiment of FIG. 6;

FIG. 11 is a bottom plan view of the embodiment of FIG. 6;

FIG. 12 is a top plan view of a third embodiment thereof;

FIG. 13 is a front elevational view of the embodiment of FIG. 12;


FIG. 14 is a left side elevational view of the embodiment of FIG. 12;

FIG. 15 is a right side elevational view of the embodiment of FIG. 12; and,

FIG. 16 is a bottom plan view of the embodiment of FIG. 12.

The broken line showing of a user of the present push-up detection device in FIG. 1 is for illustrative purposes only and forms no part of the claimed design. The rear elevations of the embodiments of FIGS. 1, 6, and 12 are mirror images respectively of the front elevational views of FIGS. 3, 8, and 13.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9

FIG. 10




FIG. 11




FIG. 13





FIG 12

FIG. 14




FIG. 15





FIG. 16