



US00D363884S

United States Patent [19]

Reede

[11] Patent Number: **Des. 363,884**

[45] Date of Patent: ****Nov. 7, 1995**

[54] **BRAKE WEAR MONITOR**

[76] Inventor: **Dewayne E. Reede**, P.O. Box 365,
Norwalk, Conn. 06851

[**] Term: **14 Years**

[21] Appl. No.: **19,137**

[22] Filed: **Feb. 24, 1994**

[52] U.S. Cl. **D10/65**

[58] Field of Search D10/46, 70, 71,
D10/64, 65, 104, 106; 116/208, 283; 188/1.11 R,
1.11 W, 71.6, 726, 106.5, 170, 79.55, 196 R;
390/453, 454

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 261,629 11/1981 Dohrny D10/104 X
D. 320,760 10/1991 Gnuechtel D10/104 X
4,085,824 4/1978 Nomura 116/208 X

4,085,826 4/1978 Ritsema et al. 188/1.11 W
4,982,767 1/1991 Rezzoli et al. 188/1.11 W X
5,168,260 12/1992 Mery 188/1.11 W X

Primary Examiner—Antoine Duval Davis


[57] **CLAIM**

The ornamental design for a brake wear monitor, as shown and described.

DESCRIPTION

FIG. 1 is a front view;
FIG. 2 is a front view of a second embodiment, all undisclosed views being identical to those shown in FIGS. 3-6;
FIG. 3 is a top view;
FIG. 4 is a bottom view;
FIG. 5 is a rear view;
FIG. 6 is a side view, with the opposite view being a mirror image; and,
FIG. 7 is a top, front and side perspective view.

1 Claim, 7 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7