



US00D363917S

# United States Patent [19]

[11] Patent Number: **Des. 363,917**

**Kanou et al.**

[45] Date of Patent: **\*\*Nov. 7, 1995**

[54] **CHARGER WITH DATA RECEIVER FOR BARCODE READER**

[75] Inventors: **Harumi Kanou; Takeshi Matsuda; Kazumi Nagase; Yoshiaki Kobayashi,** all of Tokyo, Japan

[73] Assignee: **SMK Corporation,** Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **27,707**

[22] Filed: **Aug. 31, 1994**

[30] **Foreign Application Priority Data**

Mar. 1, 1994 [JP] Japan ..... 6-5163

[52] U.S. Cl. .... **D13/108**

[58] Field of Search ..... D13/107, 108; D14/116; 320/2, 3, 4, 15

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 275,482 9/1984 Coons et al. .... D13/108 X
- D. 307,016 4/1990 Watanabe ..... D14/240
- D. 335,861 5/1993 Tattari ..... D13/108
- D. 345,728 4/1994 Tyneski et al. .... D13/108
- D. 353,131 12/1994 Nagele ..... D13/107
- D. 354,041 3/1995 Scheid et al. .... D13/108

**FOREIGN PATENT DOCUMENTS**

- 8901110 7/1989 Germany ..... D13/108
- 1051406 6/1989 United Kingdom ..... D13/108

**OTHER PUBLICATIONS**

Chargers in NEC specification sheet, Cat No. E44116 881220503KM.

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas

[57] **CLAIM**

The ornamental design for a charger with data receiver for barcode reader, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of the front, top and right side of a charger with data receiver for barcode reader showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.


**1 Claim, 4 Drawing Sheets**




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*

