

US00D364119S

United States Patent [19]

Weder et al.

[11] Patent Number: Des. 364,119

[45] Date of Patent: **Nov. 14, 1995

[54]	FLOWER	POT COVER	1,065,486	6/1913	Washburn
			2,355,559	8/1944	Renner
[75]	Inventors:	Donald E. Weder; Joseph G. Straeter, both of Highland, Ill.	5,127,817	7/1992	Weder et al 425/383
			5,184,390	2/1993	Weder 215/100.5 X
[73]	Assignee:	Highland Supply Corporation, Highland, Ill.	FOREIGN PATENT DOCUMENTS		
			103316	3/1938	Australia 229/922
[**]	Term:	14 Years		OTHE	R PUBLICATIONS
[21]	Appl. No.:	3,557	Exhibit A—Sp , ©1989.	eed Cov	er® Brochure—The Simple Solution
[22]	Filed:	Jan. 12, 1993	Primary Exam	iner—A	lan P. Douglas

[57]

Related U.S. Application Data

[63]	Continuation-in-part of Ser. No. 808,357, Dec. 16, 1991,
	abandoned, which is a continuation-in-part of Ser. No.
	710,272, Jun. 4, 1991, which is a continuation-in-part of Ser.
	No. 617,454, Nov. 21, 1990, abandoned, said Ser. No.
	710,272 is a continuation-in-part of Ser. No. 411,249, Sep.
	22, 1989, Pat. No. Des. 358,113, said Ser. No. 710,272 is a
	continuation-in-part of Ser. No. 411,247, Sep. 22, 1989, said
	Ser. No. 710,272 is a continuation-in-part of Ser. No. 411,
	245, Sep. 22, 1989.

	243, 3cp. 22, 1303.	
[52]	U.S. Cl	D11/164 ; D11/143
[58]	Field of Search	D11/143, 149,
	D11/152-156, 164	1, 89, 90; 47/66, 72; 206/423;
	215/100.5;	229/1.5 R, 1.5 B, 4.5, 87.01,
	922, 930, 108,	108.1, 109, 110, 400; 428/27,
	35.1, 24, 542	2.6; 229/108, 108.1, 109, 110,
	400; D9/346, 428-431;	D27/102, 133; D26/128-136;

D19/96; D7/540, 584, 586, 587, 354

[56] References Cited

U.S. PATENT DOCUMENTS

D. 5,120	7/1871	Snow
D. 5,806	4/1872	Palmer
D. 50,435	3/1917	
D. 139,009	10/1944	Denenberg
D. 174,733	5/1955	Bordman
D. 292,182	10/1987	Weder et al
D. 293,224	12/1987	Weder et al,
D. 293,775	1/1988	Weder et al
D. 317,583	6/1991	Weder et al
D. 318,030	7/1991	Weder et al D11/164
D. 327,234	6/1992	Vaughn D11/143
D. 352,918	11/1994	Weder et al
D. 392,562	11/1987	Weder et al D11/164

CLAIM

Attorney, Agent, or Firm—Dunlap & Codding

Assistant Examiner—Jeffrey Asch

The ornamental design for a flower pot cover, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our new flower pot cover design;

FIG. 2 is a side elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a side elevational view of the design of FIG. 1, the only difference being in the horizontal angle of the skirt;

FIG. 6 is a side elevational view of the design of FIG. 1, the only difference being in the near vertical angle of the skirt; FIG. 7 is a side elevational view of the design of FIG. 1, the

FIG. 7 is a side elevational view of the design of FIG. 1, the only difference being in the downward angle of the skirt;

FIG. 8 is a perspective view of a second embodiment of our new flower pot cover design;

FIG. 9 is a side elevational view thereof;

FIG. 10 is a top plan view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a side elevational view of the design of FIG. 8, the only difference being in the horizontal angle of the skirt; FIG. 13 is a side elevational view of the design of FIG. 8, the only difference being in the near vertical angle of the skirt;

FIG. 14 is a side elevational view of the design of FIG. 8, the only difference being in the downward angle of the skirt;

(Description continued on next page.)




FIG. 15 is a perspective view of a third embodiment of our new flower pot cover design;

FIG. 16 is a side elevational view thereof;

FIG. 17 is a top plan view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a side elevational view of the design of FIG. 15, the only difference being in the horizontal angle of the skirt; FIG. 20 is a side elevational view of the design of FIG. 15,

the only difference being in the near vertical angle of the skirt; and,

FIG. 21 is a side elevational view of the design of FIG. 15, the only difference being in the downward angle of the skirt. The flower pot cover has no substantial thickness.

1 Claim, 5 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9





Fig. 10







Fig. 11

Fig. 12







Fig. 13

Fig. 14






Fig. 16




Fig. 17




Fig. 18

Des. 364,119




Fig. 19





Fig. 20



UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : Des. 364,119

DATED: November 14, 1995

INVENTOR(S): Weder et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover page, "References Cited", U.S. PATENT DOCUMENTS, please delete "D.392,562" and substitute therefor --D.292,562--.

Signed and Sealed this

Twenty-sixth Day of March, 1996

Attest:

Attesting Officer

BRUCE LEHMAN

Commissioner of Patents and Trademarks