



US00D364126S

United States Patent [19]
Ochiai et al.

[11] **Patent Number:** **Des. 364,126**
[45] **Date of Patent:** ****Nov. 14, 1995**

[54] **HOOK ATTACHMENT RING**

[75] Inventors: **Koichi Ochiai**, Hachioji; **Tomohisa Ishida**, Kamifukuoka, both of Japan

[73] Assignee: **Yoshida Kogyo K.K.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **24,553**

[22] Filed: **Jun. 16, 1994**

[30] **Foreign Application Priority Data**

Dec. 20, 1993 [JP] Japan 5-38498

[52] **U.S. Cl.** **D11/218; D11/200**

[58] **Field of Search** D11/200, 201,
D11/216, 217, 218, 220, 234; 24/196, 163 FC,
616; D2/639

[56] **References Cited**

U.S. PATENT DOCUMENTS

79,912 11/1929 Shields D11/218
79,914 11/1929 Vaisey D11/218
82,854 12/1930 Shields D11/218

D. 224,283 7/1972 Tixier D11/216
D. 333,804 3/1993 Franklin D11/200
2,388,316 11/1945 Elwell 24/170

Primary Examiner—Ralf T. Seifert

Attorney, Agent, or Firm—Hill, Steadman & Simpson

[57] **CLAIM**

The ornamental design for hook attachment ring, as shown.

DESCRIPTION

FIG. 1 is a front view of a hook attachment ring;
FIG. 2 is a plan view of the hook attachment ring of FIG. 1;
FIG. 3 is a base view of the hook attachment ring of FIG. 1;
FIG. 4 is a right side view of the hook attachment ring of FIG. 1;

FIG. 5 is a cross-sectional view taken on line A—A of FIG. 1; and,

FIG. 6 is an explanatory view showing the hook attachment ring of FIG. 1 in use.

The broken line showing of a hook and partial straps is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 4



FIG. 2




FIG. 5




FIG. 3




FIG. 6

