



US00D364165S

United States Patent [19]
Esslinger

[11] **Patent Number: Des. 364,165**
[45] **Date of Patent: **Nov. 14, 1995**

[54] **LOUDSPEAKER** 4,574,906 3/1986 White et al. 181/145
[75] Inventor: **Hartmut H. Esslinger**, Los Gatos, Calif.
[73] Assignee: **Packard Bell Electronics, Inc.**, Westlake Village, Calif.
[**] Term: **14 Years**
[21] Appl. No.: **23,784**
[22] Filed: **Jun. 1, 1994**
[30] **Foreign Application Priority Data**
Jan. 5, 1994 [DE] Germany M 94 00 004.2
[52] **U.S. Cl.** **D14/213; D14/216**
[58] **Field of Search** D14/204, 207, D14/209-213, 215-216; 181/144-145, 150, 153, 157, 199; 381/24, 87-90, 188


[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 270,444 9/1983 Matsuda et al. D14/214
D. 303,970 10/1989 Collins et al. D14/210 X
D. 344,951 3/1994 Christie D14/216
3,371,742 3/1968 Norton et al. 181/153

OTHER PUBLICATIONS
Stereo Review, Jan. 1988, p. 39, Ohm Sound Cylinder Speaker System.
Primary Examiner—Prabhakar G. Deshmukh
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Wilson, Sonsini, Goodrich & Rosati

[57] **CLAIM**
The ornamental design for a loudspeaker, as shown and described.

DESCRIPTION
FIG. 1 is a top, front, right perspective view of a loudspeaker showing my new design;
FIG. 2 is a front elevation thereof;
FIG. 3 is a right side elevation thereof;
FIG. 4 is a left side elevation thereof;
FIG. 5 is a rear elevation thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7