



US00D364355S

**United States Patent** [19]  
**George**

[11] **Patent Number:** **Des. 364,355**

[45] **Date of Patent:** **\*\*Nov. 21, 1995**

[54] **TRAVEL CLOCK**

**FOREIGN PATENT DOCUMENTS**

[75] **Inventor:** **Cheng F. W. George, Hong Kong, Hong Kong**

D027298 9/1993 WIPO ..... D10/10 X

[73] **Assignee:** **Tomor Electronics Ltd., Quarry Bay, Hong Kong**

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Abelman, Frayne & Schwab

[\*\*] **Term:** **14 Years**

[57] **CLAIM**

The ornamental design for a travel clock, as shown and described.

[21] **Appl. No.:** **29,700**

**DESCRIPTION**

[22] **Filed:** **Oct. 13, 1994**

[52] **U.S. Cl. .... D10/18; D10/15**

[58] **Field of Search .... D10/1-40, 122-132; 368/280-282, 276-277, 285, 239-242, 82-84**


FIG. 1 is a front elevation of the travel clock, with a cover thereof in a closed position;  
FIG. 2 is a rear elevation thereof;  
FIG. 3 is a side elevation of the travel clock, when taken from either the left-hand or the right-hand side;  
FIG. 4 is a plan view of FIG. 1;  
FIG. 5 is an underside plan view of FIG. 1;  
FIG. 6 is a right-hand side elevation of FIG. 1, showing the cover when in an opened condition;  
FIG. 7 is a plan view of FIG. 6;  
FIG. 8 is a front elevation of the travel clock with the cover in the opened position of FIG. 7; and,  
FIG. 9 is an underside plan view of FIG. 6.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


- D. 269,328 6/1983 Cheung ..... D10/15
- D. 289,380 4/1987 Lee ..... D10/18 X
- D. 301,839 6/1989 Houlihan ..... D10/15
- D. 321,661 11/1991 Shimamura ..... D10/18
- D. 323,463 1/1992 Tak ..... D10/18
- D. 337,950 8/1993 Davis ..... D10/15
- 2,858,662 11/1958 Didesheim ..... D10/18 X

**1 Claim, 3 Drawing Sheets**






*FIG. 1*




*FIG. 2*




*FIG. 3*


*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*







*FIG. 8*



*FIG. 9*