



US00D364366S

United States Patent [19]
Harden, Jr. et al.

[11] **Patent Number:** **Des. 364,366**
[45] **Date of Patent:** ****Nov. 21, 1995**

[54] **TIRE TREAD**

[75] Inventors: **Richard Harden, Jr.**, Tallmadge;
Daniel E. Schuster, North Royalton,
both of Ohio

[73] Assignee: **The Goodyear Tire & Rubber
Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **24,716**

[22] Filed: **Jun. 20, 1994**

[52] **U.S. Cl.** **D12/146**

[58] **Field of Search** D12/136, 140,
D12/145-151; 152/209 R, 209 B, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 340,682 10/1993 Ramcke et al. D12/143

FOREIGN PATENT DOCUMENTS

141804 6/1988 Japan 152/209 R

OTHER PUBLICATIONS

1994 Tread Design Guide, p. 42, Michelin XM+S 300 Tire,
Second Tire In From Top Left Side Of Page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof; and,
FIG. 4 is an enlarged fragmentary front view thereof.
The tread pattern is understood to be repeated uniformly
throughout the circumference of the tire tread.
The broken line showing of the tire sidewall in the drawings
is for illustrative purposes only and forms no part of the
claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4