



US00D364380S

**United States Patent** [19]  
**Cunningham**

[11] **Patent Number: Des. 364,380**

[45] **Date of Patent: \*\*Nov. 21, 1995**

[54] **SENSOR**

5,371,332 12/1994 Baum et al. .... 200/5 A

[76] Inventor: **Peter R. Cunningham**, 32-34 Sir William Drive, East Tamaki, Auckland, New Zealand

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Jones & Askew

[\*\*] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a sensor, as shown.

[21] Appl. No.: **14,977**

[22] Filed: **Nov. 5, 1993**

**DESCRIPTION**

[30] **Foreign Application Priority Data**

May 5, 1993 [NZ] New Zealand ..... 25191

[52] **U.S. Cl.** ..... **D13/162**

[58] **Field of Search** ..... D13/162; 200/5 A, 200/61.08, 292, 300; 235/487, 489, 492; 340/303, 590; 361/380, 391, 395, 397-400, 412-413

FIG. 1 is a perspective view of my new sensor;

FIG. 2 is a plan view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a side view thereof; and,


FIG. 6 is a bottom view thereof.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


5,300,741 4/1994 Hogue et al. .... 200/61.08 X

**1 Claim, 2 Drawing Sheets**






**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**