



US00D364710S

**United States Patent** [19]

[11] **Patent Number: Des. 364,710**

**Byrd**

[45] **Date of Patent: \*\*Nov. 28, 1995**

[54] **BATTERY POWERED HEATED EAR COVERS**

2,561,857	7/1951	Goldman	.....	D29/112
4,538,034	8/1985	French	.....	2/209
4,670,911	6/1987	Dunford	.....	2/209
4,791,684	12/1988	Schwartz	.....	2/209
4,850,055	7/1989	Hwang	.....	2/209

[76] Inventor: **Nathan Byrd**, 112 Hoyt St. #5J, Stamford, Conn. 06905

[\*\*] Term: **14 Years**

*Primary Examiner*—Ruth McInroy  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[21] Appl. No.: **26,139**

[57] **CLAIM**

[22] Filed: **Jul. 20, 1994**

The ornamental design for a battery powered heated ear covers, as shown and described.

[52] U.S. Cl. .... **D29/112**

[58] Field of Search ..... D29/112; 2/2, 2/423, 209; D24/189

**DESCRIPTION**


[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 149,150	3/1948	Schwartz	.....	D29/112
184,006	11/1876	Edgar	.....	2/209
D. 254,876	5/1980	Reitenga et al.	.....	D29/112
D. 328,160	7/1992	Sudduth	.....	D29/112
D. 331,130	11/1992	Williams	.....	D29/112
2,184,996	12/1939	Jacobs	.....	2/209
2,504,826	4/1950	Goldman	.....	D29/112

FIG. 1 is a front, top and side perspective view of a battery powered heated ear covers showing our new design, the power cord being cut off for the sake of convenience; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6