



US00D364798S

United States Patent [19]

Bright et al.

[11] Patent Number: **Des. 364,798**

[45] Date of Patent: ****Dec. 5, 1995**

[54] **ELECTRIC CORD SECUREMENT**

[76] Inventors: **Vernon G. Bright**, 298 Highfield Road, Toronto, Ontario, Canada, M4L 2V5;
Edward A. Beaumont, R.R. #3, North Doe Lake Road, Gravenhurst, Ontario, Canada, P1P 1R3

[**] Term: **14 Years**

[21] Appl. No.: **28,756**

[22] Filed: **Sep. 22, 1994**

[52] U.S. Cl. **D8/394**; D8/396; D24/128; D24/189

[58] Field of Search D8/356, 394, 396; 24/306, 16 PB, 447, 3 M; D24/130, 128, 145, 184; 128/DIG. 26, 876-877; 604/304

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 305,097	12/1989	Converse	D8/396 X
D. 318,413	7/1991	McNulty	D8/356
D. 319,382	8/1991	Hunter	D8/356 X
3,279,008	10/1966	Wallach	24/16 PB
4,297,995	11/1981	Golub	604/304
4,874,151	10/1989	Fritz	24/306 X
5,215,333	6/1993	Knight	24/306 X

Primary Examiner—A. Hugo Word
Assistant Examiner—Holly H. Baynham
Attorney, Agent, or Firm—Arne I. Fors; D. Doak Home; Jeffrey T. Imai

[57] **CLAIM**


The ornamental design for an electric cord securement, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the design;
FIG. 2 is an end elevation with the opposite end being a mirror image;
FIG. 3 is a bottom plan view;
FIG. 4 is an upper plan view;
FIG. 5 is a side elevation with the opposite side being a mirror image;
FIG. 6 is a perspective view of the second embodiment thereof; and,
FIG. 7 is a perspective view of the third embodiment thereof.
The undisclosed bottom plan views of the second and third embodiments are the same in appearance as the bottom plan view shown as FIG. 3.

The fragmented cross-hatched shading shown on FIG. 3 is understood to cover the entire surface.

1 Claim, 2 Drawing Sheets






FIG. 1.



FIG. 2.




FIG. 3.




FIG. 4.



FIG. 5.




FIG. 6.




FIG. 7.