



US00D364891S

United States Patent [19]

[11] Patent Number: **Des. 364,891**

Byers

[45] Date of Patent: ****Dec. 5, 1995**

[54] **COMBINED WING AND SPRING SHIELD FOR A PRINTER MEDIA HANDLING SYSTEM**

| | | | |
|--------|---------|--------------------|---------|
| 498561 | 8/1992 | European Pat. Off. | 400/624 |
| 64432 | 4/1984 | Japan | 271/171 |
| 190125 | 10/1984 | Japan | 271/171 |
| 140464 | 6/1986 | Japan | 271/171 |

[75] Inventor: **Gerald J. Byers**, Camas, Calif.

OTHER PUBLICATIONS

[73] Assignee: **Hewlett-Packard Company**, Palo Alto, Calif.

IBM Technical Disclosure Bulletin; vol. 31, No. 10; Mar. 1989; Cut-Sheet Paper Tray Spring Compensates For Paper Load Variables.

[**] Term: **14 Years**

IBM Technical Disclosure Bulletin; vol. 28, No. 10; Mar. 1986; Adjustable Document Cartridge Guide.

[21] Appl. No.: **24,265**

Primary Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Flory L. Martin

[22] Filed: **Jun. 10, 1994**

[52] U.S. Cl. **D18/56**

[58] Field of Search D18/40, 47, 49,
D18/56, 46, 50, 54, 55; 400/624; 347/104;
271/171

[57] CLAIM

The ornamental design for a combined wing and spring shield for a printer media handling system, as shown and described.

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-------------------|---------|
| D. 286,540 | 11/1986 | Hashimoto | D18/49 |
| D. 312,094 | 11/1990 | Hashimoto | D18/49 |
| D. 319,072 | 8/1991 | Tanizawa et al. | D18/49 |
| D. 322,090 | 12/1991 | McClelland et al. | D18/55 |
| D. 350,151 | 8/1994 | Sugawara et al. | D18/55 |
| 4,794,859 | 1/1989 | Huseby et al. | 101/485 |
| 5,120,040 | 6/1992 | Warley | 271/171 |
| 5,269,507 | 12/1993 | Yoshida | 271/171 |
| 5,269,613 | 12/1993 | Olson et al. | 400/624 |
| 5,292,117 | 3/1994 | Takagi et al. | 271/171 |
| 5,311,270 | 5/1994 | Urakawa | 400/624 |
| 5,346,197 | 9/1994 | Takauo et al. | 271/171 |
| 5,401,014 | 3/1995 | Okabe et al. | 271/171 |

DESCRIPTION

FIG. 1 is a perspective view of a combined wing and spring shield for a printer media handling system showing the spring arm in a compressed position;

FIG. 2 is a perspective view of a combined wing and spring shield for a printer media handling system showing my new design;

FIG. 3 is top plan view of FIG. 2;

FIG. 4 is right side elevational view of FIG. 2;

FIG. 5 is left side elevational view of FIG. 2;

FIG. 6 is a bottom plan view of FIG. 2;



FIG. 7 is a rear elevational view of FIG. 2; and,

FIG. 8 is a front elevational view.

FOREIGN PATENT DOCUMENTS

203665 12/1986 European Pat. Off. 400/613

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 8




FIG. 7

