



US00D364969S

United States Patent [19]

[11] Patent Number: **Des. 364,969**

Boone

[45] Date of Patent: ****Dec. 12, 1995**

[54] **SWING**

[76] Inventor: **James C. Boone**, 1518 Poplar Level Rd., Louisville, Ky. 40217

[**] Term: **14 Years**

[21] Appl. No.: **31,679**

[22] Filed: **Dec. 2, 1994**

[52] U.S. Cl. **D6/347**; D6/344

[58] Field of Search D6/334, 335, 344, D6/347, 370, 386, 387, 500, 501, 502; 5/124; 297/281, 282

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------|-------|----------|
| D. 254,458 | 3/1980 | Wakefield | | D6/347 |
| D. 281,206 | 11/1985 | Halsall | | D6/347 |
| D. 336,378 | 6/1993 | Kittridge | | D6/344 |
| 4,693,512 | 9/1987 | Hobson | | D6 X/335 |

Primary Examiner—Alan P. Douglas
Assistant Examiner—Gary D. Watson
Attorney, Agent, or Firm—Middleton & Reutlinger; James C. Eaves, Jr.

[57] **CLAIM**


The ornamental design for a swing, as shown and described.

DESCRIPTION

FIG. 1 is a front left side perspective view on a reduced scale

of a first embodiment of a swing made in accordance with the present invention, the first embodiment showing slats made of wood as a preferred material of construction; FIG. 2 is a left side view of the swing of FIG. 1; FIG. 3 is a rear view of the swing of FIG. 1; FIG. 4 is a top view of the swing of FIG. 1; FIG. 5 is a bottom view of the swing of FIG. 1; FIG. 6 is a front left side perspective view of a reduced scale of a second embodiment of a swing made in accordance with the present invention, the swing being designed for at least two people, the second embodiment showing slats made of wood as a preferred material of construction; FIG. 7 is a left side view of the swing of FIG. 6; FIG. 8 is a rear view of the swing of FIG. 6; FIG. 9 is a bottom view of the swing of FIG. 6; FIG. 10 is a front left side perspective view on a reduced scale of a third embodiment of a swing made in accordance with the present invention, the design showing an alternate material of construction to the swing of FIGS. 1-5; FIG. 11 is a left side view of the swing of FIG. 10; FIG. 12 is a rear view of the swing of FIG. 10; FIG. 13 is a top view of the swing of FIG. 10; FIG. 14 is a bottom view of the swing of FIG. 10; FIG. 15 is a front left side perspective view on a reduced scale of a fourth embodiment of a swing made in accordance with the present invention, the design showing an alternate material of construction to the swing of FIGS. 6-9; FIG. 16 is a left side view of the swing of FIG. 15; FIG. 17 is a rear view of the swing of FIG. 15; and, FIG. 18 is a bottom view of the swing of FIG. 15.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18