



US00D365035S

United States Patent [19]

[11] Patent Number: **Des. 365,035**

Haber et al.

[45] Date of Patent: ****Dec. 12, 1995**

[54] **VIBRATION DETECTOR**

[76] Inventors: **Terry M. Haber**, 25011 Castlewood, El Toro, Calif. 92630; **William H. Smedley**, 33285 Blanche Dr., Lake Elsinore, Calif. 92330; **Clark B. Foster**, 23631 Wakefield Ct., Laguna Niguel, Calif. 92677

D. 187,194	2/1960	Jacobs	D26/112
D. 194,963	4/1963	Atkins	D26/112 X
4,185,503	1/1980	Saito	356/373 X
5,248,959	9/1993	Chern	73/654 X

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Hawes & Fischer

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **18,954**

The ornamental design for a vibration detector, as shown and described.

[22] Filed: **Feb. 18, 1994**

DESCRIPTION

[52] U.S. Cl. **D10/106**; D10/46; D15/147; D26/110

[58] **Field of Search** D10/46, 106, 110, D10/111, 104; D15/147; 73/653, 652, 655, 656, 657; 250/231.1, 231.11, 231.12, 231.13, 231.14, 231.15, 231.16, 231.17, 231.18, 231.19, 239; 356/373, 374, 372; D26/110, 112; D30/101, 102

FIG. 1 is a perspective view of a vibration detector showing our invention;

FIG. 2 is a side elevational view thereof, this side and each of the other sides being of identical designs;

FIG. 3 is a top plan view thereof; and,


FIG. 4 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 147,313 8/1947 Barrios D26/110 X

1 Claim, 2 Drawing Sheets






fig. 1




fig. 2




fig. 3




fig. 4