



US00D365053S

United States Patent [19]

[11] **Patent Number: Des. 365,053**

White

[45] **Date of Patent: **Dec. 12, 1995**

[54] **TIRE**

OTHER PUBLICATIONS

[75] Inventor: **Timothy A. White**, Greer, S.C.
[73] Assignee: **Michelin Recherche et Technique, S.A.**, Granges-Paccot, Switzerland
[**] Term: **14 Years**

Tread Design Guide 1994, p. 31 Hankook Optimo Plus.
Tread Design Guide 1994, p. 35 Kleber C551Z2.
Tread Design Guide 1994, p. 53 Remington XT120 Touring.
Tread Design Guide 1994, p. 87 Firestone Firehawk R4S.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Robert R. Reed; Russell W. Warnock

[21] Appl. No.: **23,215**

[57] **CLAIM**

[22] Filed: **May 20, 1994**

The ornamental design for a tire, as shown and described.

[52] U.S. Cl. **D12/146**

DESCRIPTION

[58] **Field of Search** D12/141-143,
D12/146-148; 152/209 R, 209 B, 209 D

FIG. 1 is a perspective view of a tire showing my new tread design, the tread pattern being repeated over the outer circumference of the tire with the side of the tire opposite that portion of the tire shown being substantially the same; and,


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 296,541 7/1988 Gettys et al. D12/147
D. 334,362 3/1993 Stone et al. D12/147
D. 341,345 11/1993 Killian D12/146

FIG. 2 is a front elevation view of the tire of my invention.

1 Claim, 2 Drawing Sheets






Fig.1




Fig.2