



US00D365056S

United States Patent [19]
McKisson

[11] **Patent Number:** **Des. 365,056**
[45] **Date of Patent:** ****Dec. 12, 1995**

[54] **TIRE**

[75] Inventor: **Eileen A. McKisson**, Richfield, Ohio

[73] Assignee: **Michelin Recherche et Technique, S.A.**, Granges-Paccot, Switzerland

[**] Term: **14 Years**

[21] Appl. No.: **27,104**

[22] Filed: **Aug. 12, 1994**

[52] **U.S. Cl.** **D12/146**

[58] **Field of Search** D12/141-143,
D12/146-148; 152/209 R, 209 B, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 294,135	2/1988	Wallet	D12/147
D. 295,035	4/1988	Hinrichsen	D12/147
D. 295,036	4/1988	Wallet et al.	D12/147
D. 306,846	3/1990	Guspodin	D12/146
D. 312,232	11/1990	Wallet et al.	D12/147
D. 315,127	3/1991	White et al.	D12/147

OTHER PUBLICATIONS

Tread Design Guide 1984 p. 38 Goodyear Viva.
Tread Design Guide 1984 p. 26 Douglas Truck Master 70.

1993 Tread Design Guide, p. 24, Dayton Daytona Metric Radial Tire, second tire in from top right side of page.

1993 Tread Design Guide, p. 52, Multi-Mile Matrix Tire, second tire in from top right side of page.

1994 Tread Design Guide, p. 26, General Ameri-Plus Tire, top right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Robert R. Reed; Russell W. Warnock

[57] **CLAIM**


The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that illustrated; and,

FIG. 2 is a front elevation view of the tire of FIG. 1 showing my new design.

1 Claim, 2 Drawing Sheets






Fig.1




Fig.2