



US00D365058S

United States Patent [19]
McKisson

[11] **Patent Number:** **Des. 365,058**
[45] **Date of Patent:** ****Dec. 12, 1995**

[54] **TIRE**

[75] Inventor: **Eileen A. McKisson**, Richfield, Ohio
[73] Assignee: **Michelin Recherche et Technique, S.A.**, Granges-Paccot, Switzerland
[**] Term: **14 Years**
[21] Appl. No.: **27,795**
[22] Filed: **Aug. 29, 1994**
[52] U.S. Cl. **D12/146**
[58] Field of Search D12/141-143,
D12/145-148; 152/209 R, 209 B, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 301,855	6/1989	Ono	D12/147
D. 310,803	9/1990	Hasegawa	D12/147
D. 315,127	3/1991	White et al.	D12/147
D. 328,267	7/1992	Constant	D12/146
D. 328,268	7/1992	Constant	D12/146
D. 329,218	9/1992	Ohtsu	D12/147

FOREIGN PATENT DOCUMENTS

899840 5/1994 Japan .

OTHER PUBLICATIONS

1993 Tread Design Guide, p. 41, Kelly-Springfield Charger VR Tire, top center of page, & Kelly-Springfield Metric 1000 H Tire, second row down from top, left side of page.
1993 Tread Design Guide, p. 52, Multi-Mile Matrix Tire, second tire in from top right side of page.
1993 Tread Design Guide, p. 60, Road King Regency L Tire, third row down from top, center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Robert R. Reed; Russell W. Warnock


[57] **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that illustrated; and, FIG. 2 is a front elevation view of the tire of FIG. 1 showing my new design.

1 Claim, 2 Drawing Sheets






Fig.1




Fig.2