



US00D365355S

United States Patent [19]

[11] Patent Number: **Des. 365,355**

Horikiri et al.

[45] Date of Patent: ****Dec. 19, 1995**

[54] **COMPACT CAMERA**

[75] Inventors: **Kazuhisa Horikiri; Koji Yoshida**, both of Tokyo, Japan

[73] Assignee: **Fuji Photo Film Co., Ltd.**, Kanagawa, Japan

[**] Term: **14 Years**

[21] Appl. No.: **31,972**

[22] Filed: **Nov. 25, 1994**

[30] **Foreign Application Priority Data**

May 31, 1994 [JP] Japan 6-15708

[52] U.S. Cl. **D16/209; D16/212**

[58] Field of Search D16/200-204, D16/208, 209, 212, 213, 216-218; 354/126, 127.11, 149.11, 187, 202, 288

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 257,982	1/1981	Maitani	D16/212
D. 263,056	2/1982	Hattori	D16/212
D. 296,333	6/1988	Inoue	D16/209
D. 323,336	1/1992	Moro et al.	D16/209
4,556,304	12/1985	Fukuda	354/288

OTHER PUBLICATIONS

Modern Photography, Jan. 1988 p. 15 (Olympus Infinity).

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Young & Thompson

[57] **CLAIM**

The ornamental design for a compact camera, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left-side perspective view of a compact camera showing our new design; FIG. 2 is a rear, top and left-side perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a left side view thereof; FIG. 8 is a right side view thereof; and, FIG. 9 is a view from the same perspective as in FIG. 1, in which a lens protector is closed and a flash device is inside of a camera body.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

