



US00D365528S

United States Patent [19] Shibuya

[11] Patent Number: **Des. 365,528**
[45] Date of Patent: ****Dec. 26, 1995**

[54] **GAS LEAK DETECTOR**

[75] Inventor: **Hiroyuki Shibuya**, Sagamihara, Japan

[73] Assignee: **Hochiki Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **34,555**

[22] Filed: **Feb. 7, 1995**

[30] **Foreign Application Priority Data**

Aug. 12, 1994 [JP] Japan 6-24286

[52] U.S. Cl. **D10/81**

[58] Field of Search D10/81; 73/40.5 R,
73/40.5, 40.7

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 282,531 2/1986 Schmidt et al. D10/81 X
D. 330,521 10/1992 Krolopp D10/81

D. 345,112 3/1994 Krishnamurthy et al. D10/78 X
4,895,018 1/1990 Asbra 73/40.5 R
4,998,434 3/1991 Asbra 73/40.5 R
5,269,171 12/1993 Boyer 73/40.5 R

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Lackenbach Siegel Marzullo
Aronson & Greenspan

[57] **CLAIM**

The ornamental design for a gas leak detector, as shown.

DESCRIPTION

FIG. 1 is a perspective view from the front and above of my gas leak detector;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a rear view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

