



US00D365973S

United States Patent [19]
Watanabe

[11] **Patent Number:** **Des. 365,973**

[45] **Date of Patent:** ****Jan. 9, 1996**

- [54] **HOG RING CLAMPING DEVICE**
- [75] Inventor: **Takashi Watanabe**, Saitama, Japan
- [73] Assignee: **Meiho Co., Ltd.**, Tokyo, Japan
- [**] Term: **14 Years**
- [21] Appl. No.: **28,164**
- [22] Filed: **Sep. 8, 1994**
- [30] **Foreign Application Priority Data**
 - Apr. 18, 1994 [JP] Japan 6-10957
- [52] **U.S. Cl.** **D8/68**
- [58] **Field of Search** D8/29.1, 30, 61,
 - D8/68; 29/91.3, 91.4, 243.56, 816; 72/462,
 - 463, 464, 409, 410, 424; 81/57.2, 57.37,
 - 57.38, 486
- [56] **References Cited**
 - U.S. PATENT DOCUMENTS**
 - 3,287,955 11/1966 Winslow et al. 29/243.56

| | | | |
|-----------|---------|----------------|-----------|
| 3,628,230 | 12/1971 | Grise | 29/243.56 |
| 3,703,757 | 11/1972 | Backus | 29/243.56 |
| 4,476,616 | 10/1984 | Jensen | 29/243.56 |
| 5,123,273 | 6/1992 | Kawabata | 29/243.56 |

Primary Examiner—Alan P. Douglas
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] **CLAIM**

The ornamental design for a hog ring clamping device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right-side perspective view of a hog ring clamping device of my new design;
 FIG. 2 is a right-side elevational view thereof;
 FIG. 3 is a left-side elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a front elevational view thereof; and,
 FIG. 7 is a rear elevational view thereof.

1 Claim, 4 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7

