



US00D366110S

United States Patent [19]

[11] Patent Number: **Des. 366,110**

Darr

[45] Date of Patent: ****Jan. 9, 1996**

[54] **HEAT SHIELD**

4,295,460 10/1981 Wilson .
4,399,805 8/1983 Kienlen et al. .
4,964,393 10/1990 Knudsen .

[76] Inventor: **Richard J. Darr**, R.D. #2 Box 417,
Gibsonia, Pa. 15044

FOREIGN PATENT DOCUMENTS

[**] Term: **14 Years**

1576215 10/1980 United Kingdom 108/64

[21] Appl. No.: **23,591**

Primary Examiner—A. Hugo Word
Assistant Examiner—Lavone D. Tabor

[22] Filed: **May 27, 1994**

[52] U.S. Cl. **D23/403; D6/484**

[57] CLAIM

[58] **Field of Search** D23/347, 403,
D23/405-406; D6/332, 349, 380, 384; D25/58,
138-140; 126/500, 544-547, 552-553,
39 N, 42, 214 D, 299 C; 108/64-65, 67,
129

The ornamental design for the heat shield, as shown and described.

DESCRIPTION

[56] References Cited

FIG. 1 is a front elevational view of the heat shield showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

U.S. PATENT DOCUMENTS

D. 278,774 5/1985 De Fuccio D6/484
D. 333,516 2/1993 Lippert .
4,008,705 2/1977 Robertson .
4,194,490 3/1980 Crnkovic 126/552

1 Claim, 3 Drawing Sheets





FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6

