



US00D366132S

United States Patent [19]
Paulson

[11] **Patent Number: Des. 366,132**

[45] **Date of Patent: **Jan. 16, 1996**

[54] **JACKET**

469,195 2/1892 Heinemann D2/829 X
571,543 11/1896 Sprague D2/829 X

[76] Inventor: **Mary E. Paulson**, 2128 St. Charles,
Portland, Tex. 78374-2644

Primary Examiner—Ted Shooman
Assistant Examiner—Paula Mortimer

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **31,390**

The ornamental design for an a jacket, as shown and described.

[22] Filed: **Nov. 25, 1994**

[52] U.S. Cl. **D2/750**

[58] **Field of Search** D2/724, 750, 751,
D2/754, 755, 759, 761, 799, 828, 829,
840; 2/90, 92, 102, 106

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 103,527	3/1937	Boepple	D2/750
D. 107,909	1/1938	Lowenthal	D2/750
D. 136,460	10/1943	Chalk	D2/829
D. 164,691	10/1951	Kaye	D2/840
D. 188,978	10/1960	Loeb	D2/750
200,063	2/1878	Jackson	D2/829 X
D. 211,708	7/1968	Catalano	D2/750

FIG. 1 is a front elevational view of the a jacket showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is an isometric view thereof.

The broken lines shown in FIGS. 3, 4, and 6 represent conventional stitching.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

