



US00D366143S

United States Patent [19]

[11] Patent Number: **Des. 366,143**

Guzman

[45] Date of Patent: ****Jan. 16, 1996**

[54] **TENNIS BALL CARRIER**

4,840,332 6/1989 Hoyt 224/251 X
5,064,107 11/1991 Ascarrunz 224/247

[76] Inventor: **Eri Guzman**, P.O. Box 70106, San Juan, Puerto Rico 00936-8106

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Catherine R. Oliver
Attorney, Agent, or Firm—Richard C. Litman

[**] Term: **14 Years**

[21] Appl. No.: **29,196**

[57] **CLAIM**

[22] Filed: **Sep. 30, 1994**

The ornamental design for a tennis ball carrier, as shown and described.

[52] U.S. Cl. **D3/221**

[58] Field of Search D3/221, 215, 257;
224/242, 247, 251, 252, 253, 919; 206/315.9

DESCRIPTION


[56] **References Cited**

U.S. PATENT DOCUMENTS

1,718,952	7/1929	Fischer	206/315.9
1,911,256	5/1933	Andrew	224/247
3,777,933	12/1973	Joliot	206/315.9 X
3,980,215	9/1976	Schwarzbauer	206/315.9 X
4,042,156	8/1977	Knight	224/253
4,269,338	5/1981	Sichel	224/242
4,299,345	11/1981	Lanzl	224/252
4,629,065	12/1986	Braaten	206/315.9 X
4,798,319	1/1989	James, Jr.	224/251

FIG. 1 is a front perspective view of a tennis ball carrier showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view with the left side being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom view thereof.
In FIGS. 5 and 6 the straps are shown broken away to indicate variable length.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6