



US00D366215S

United States Patent [19]

George et al.

[11] Patent Number: **Des. 366,215**

[45] Date of Patent: ****Jan. 16, 1996**

[54] TRAVEL CLOCK

[75] Inventors: **Cheng F. W. George**, Shiu Fai Terrace;
Yu P. Hop, Kwai Chung, both of Hong Kong

[73] Assignee: **Tomor Electronics Ltd.**, Quarry Bay,
Hong Kong

[**] Term: **14 Years**

[21] Appl. No.: **22,956**

[22] Filed: **May 10, 1994**

[30] Foreign Application Priority Data

Nov. 10, 1993 [GB] United Kingdom 2035118

[52] U.S. Cl. **D10/18; D10/15; D10/28**

[58] Field of Search D10/1-40, 122-132;
368/276-277, 285, 316-317

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 265,980 8/1982 Kanoui D10/18 X
- D. 309,574 7/1990 Mayuzumi D10/18
- D. 318,019 7/1991 van Lelyveld D10/15 X
- D. 318,629 7/1991 Dumas D10/18 X
- D. 321,662 11/1991 Wada D10/18

FOREIGN PATENT DOCUMENTS

- 0061976 4/1982 Japan D10/18
- 120031 6/1926 Switzerland D10/18

OTHER PUBLICATIONS

Jewelers' Circular—Keystone—Mar. 1979—p. 66—clock at center.

European Jeweler (D.G.Z.)—Apr. 1979—p. 178—clock at

top-center.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Abelman, Frayne & Schwab

[57] CLAIM

The ornamental design for a travel clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of the travel clock with a hinged cover thereof covering the clock face and in a closed position;

FIG. 2 is a plan view of the clock with the cover in the closed position;

FIG. 3 is an underside plan view of the clock with the cover in a closed position;

FIG. 4 is a left-hand elevation of the clock with the cover in a closed position, the right-hand elevation being a mirror image of FIG. 4;

FIG. 5 is a rear elevation of the clock with the cover in a closed position;

FIG. 6 is a front elevation of the clock showing the cover thereof in a partially opened condition in which the clock body and the cover lie substantially in the same plane;

FIG. 7 is a front elevation of the clock with the cover moved rearwardly to a support position; and,

FIG. 8 is a right-side elevation of the clock with the cover in a support position, the left-side elevation being a mirror image of FIG. 8.

The legends appearing on the face of the clock in FIGS. 6 and 7 form no part of the design of this application.

1 Claim, 3 Drawing Sheets




FIG.2




FIG.1




FIG.3




FIG. 4




FIG. 5





FIG. 6




FIG. 7




FIG. 8