



US00D366356S

United States Patent [19]

Theis

[11] Patent Number: **Des. 366,356**

[45] Date of Patent: ****Jan. 23, 1996**

[54] **AUTOMOBILE ACCESSORY**

[75] Inventor: **Ronald A. Theis**, West Bend, Wis.

[73] Assignee: **Amity Leather Products Company**,
West Bend, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **32,396**

[22] Filed: **Dec. 16, 1994**

Related U.S. Application Data

- [63] Continuation of Ser. No. 6,795, Apr. 7, 1993, abandoned.
- [52] U.S. Cl. **D3/11**
- [58] Field of Search D12/416; D3/243,
D3/274, 303, 900, 11, 233; 297/191; 224/209,
275, 42.42, 42.46, 42.45, 915; 190/102

[56] References Cited

U.S. PATENT DOCUMENTS

D. 168,146	11/1952	De Kiszely	D3/11
D. 176,852	2/1956	Kates	D3/11
D. 271,917	12/1983	Magis	D3/274
D. 291,844	9/1987	Gerver et al.	D3/284
D. 292,347	10/1987	Scott-Smith	D2/416
D. 299,791	2/1989	Bishop	D3/900 X
1,471,817	10/1923	Atkins	224/42.46
1,511,304	10/1924	Schroyer	.	
1,745,590	2/1930	Stanger	.	
1,892,602	12/1932	Beehler	224/275
1,904,510	4/1933	Mott	224/915 X
1,958,003	5/1934	Heyman	150/1.6
2,106,405	1/1938	Havemeyer	190/41
2,448,404	8/1948	Ackerman	224/915 X
2,767,895	10/1956	Smith	224/42.42
2,853,219	9/1958	Schwartz	224/42.45
3,014,759	12/1961	Bing	224/275 X
3,622,056	11/1971	Droeger	224/275 X
3,828,994	8/1974	Hollins	224/275
3,951,486	4/1976	Tracy	224/42.46 X

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

1630281 7/1967 Germany .

Primary Examiner—Ralf Seifert

Attorney, Agent, or Firm—Fitch, Even, Tabin & Flannery

[57] CLAIM

The ornamental design for an automobile accessory, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an automobile accessory showing my new design;

FIG. 2 is a perspective view taken from the opposite side thereof, with the flap shown in an open position;

FIG. 3 is a front view thereof;

FIG. 4 is an end elevational view from the right side thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a side elevational view thereof taken from the left side;

FIG. 7 is a top plan view thereof with the cover flap open;

FIG. 8 is a top plan view thereof with the cover flap closed;

FIG. 9 is a bottom plan view thereof;

FIG. 10 is a perspective view of an automobile accessory showing my new design, with a receptacle at the bottom end for receiving a tubular object such as a folded umbrella;

FIG. 11 is a perspective view taken from the opposite side thereof, with the flap shown in an open position;

FIG. 12 is a front view thereof;

FIG. 13 is an end elevational view from the right side thereof;

FIG. 14 is a rear elevational view thereof;

FIG. 15 is a side elevational view thereof taken from the left side;

FIG. 16 is a top plan view thereof with the cover flap open;

FIG. 17 is a top plan view thereof with the cover flap closed;


FIG. 18 is a bottom plan view thereof; and,

FIG. 19 is a perspective view of the automobile accessory of FIG. 1 shown installed on an automotive seat which is drawn in phantom.

FIGS. 1 through 9 and 19 illustrate a first embodiment of my new design, with umbrella included, whereas FIGS. 10 through 18 show a second embodiment of my new design which does not include an umbrella.

The broken line showing of an automotive seat in FIG. 19 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 11 Drawing Sheets



Des. 366,356

Page 2

U.S. PATENT DOCUMENTS			
4,018,369	4/1977	Jaeger	224/9
4,354,542	10/1982	Gerch	150/28 R
4,466,659	8/1984	Carpentier et al.	297/191
4,757,928	7/1988	Browne	224/275
4,779,655	10/1988	Olson	150/134
4,801,059	1/1989	Hayes	224/151
4,911,271	3/1990	Stanley	190/102
5,004,134	4/1991	Barry	224/209




Fig. 1




Fig. 2




Fig. 4




Fig. 3

Fig. 6





Fig. 5






Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 13




Fig. 12




Fig. 15




Fig. 14

Fig. 16




Fig. 17





Fig. 18






Fig. 19