



US00D366459S

United States Patent [19]

Kurokawa et al.

[11] **Patent Number: Des. 366,459**

[45] **Date of Patent: **Jan. 23, 1996**

[54] **SERVOMOTOR DRIVE SETTING DEVICE**

5,218,188 6/1993 Hanson D14/100 X
5,422,783 6/1995 Darbee 361/680

[75] Inventors: **Junichi Kurokawa; Takeshi Majima;
Katsuyoshi Nakano; Hiromichi
Kawashima**, all of Ise, Japan

Primary Examiner—Joel Sincavage

Attorney, Agent, or Firm—Scully, Scott, Murphy & Presser

[73] Assignee: **Shinko Electric Co., Ltd.**, Tokyo,
Japan

[57] **CLAIM**

The ornamental design for a servomotor drive setting
device, as shown and described.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **33,131**

FIG. 1 is a perspective view of a servomotor drive setting
device showing our new design;

[22] Filed: **Jan. 5, 1995**

FIG. 2 is a front elevation view thereof, showing the article
which is 6 cm wide, 2.5 cm deep, and 16 cm high, and the
rectangular portion at the upper front surface represents a
liquid crystal display;

[30] **Foreign Application Priority Data**

Jul. 7, 1994 [JP] Japan 6-20220

[52] U.S. Cl. **D13/164; D13/168**

[58] Field of Search D13/162, 164,
D13/168, 184; D14/100; 361/680, 681,
686, 687

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a right side elevation view thereof;

FIG. 7 is a left side elevation view thereof; and,

FIG. 8 is a cross-sectional view taken along line 8—8 in
FIG. 4.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 313,401 1/1991 Tanabe D14/100
5,140,138 8/1992 Tanaka D14/100 X

1 Claim, 3 Drawing Sheets




FIG. 1




FIG.4




FIG.7




FIG.2




FIG.6




FIG.5




FIG.3




FIG.8

