



US00D366851S

United States Patent [19]
Svast

[11] **Patent Number:** **Des. 366,851**
[45] **Date of Patent:** ****Feb. 6, 1996**

[54] **CLOCK FACE**

[76] **Inventor:** **Geno Svast**, 2113 S. Gunderson,
Berwyn, Ill. 60402

[**] **Term:** **14 Years**

[21] **Appl. No.:** **20,679**

[22] **Filed:** **Mar. 30, 1994**

[52] **U.S. Cl.** **D10/124; D10/126**

[58] **Field of Search** D10/1-40, 122-132;
368/223, 228, 232-235, 82-84, 239-242

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 203,760	2/1966	Morris		D10/126
D. 237,706	11/1975	Burgess et al.	.	
D. 244,262	5/1977	Nakamura	.	
D. 249,025	8/1978	Nakamura	.	
2,282,209	5/1942	Pepper		368/232 X
2,502,985	4/1950	Paulson		368/234 X
2,616,941	11/1952	Lasko		368/234
3,033,305	10/1961	Goldman	.	

3,982,239	9/1976	Sherr	.	
4,041,692	8/1977	Marshino	.	
4,726,000	2/1988	Weiss		368/223
4,742,501	5/1988	Coster	.	
4,920,524	4/1990	Kotob	.	
5,199,009	3/1993	Svast	.	

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Willian Brinks Hofer Gilson & Lione


[57] **CLAIM**

The ornamental design for a clock face, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a clock face showing my new design; and,
FIG. 2 is a front elevational view showing a modified form of my new design.
The clock face is of no appreciable thickness and the rear is flat, plain and unornamented.

1 Claim, 2 Drawing Sheets






FIG. 1

