



US00D367127S

United States Patent [19]

Staeger

[11] Patent Number: **Des. 367,127**

[45] Date of Patent: ****Feb. 13, 1996**

[54] **LIGHTING SUPPORT OF CONSTANT CROSS SECTION**

[75] Inventor: **Hans Staeger**, Weil im Schoenbuch, Germany

[73] Assignee: **Octanorm Vertriebe-GmbH fur Bauelemente**, Filderstadt, Germany

[**] Term: **14 Years**

[21] Appl. No.: **16,192**

[22] Filed: **Dec. 9, 1993**

[30] **Foreign Application Priority Data**

Jun. 9, 1993 [DE] Germany M 93 04 454.2

[52] U.S. Cl. **D26/138; D25/125**

[58] Field of Search D25/61, 125, 119, D25/122; 403/169-171, 180; D26/138, 75, 76, 77, 78; D13/155; 362/125, 432, 221, 217, 249

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 294,067	2/1988	Ambasz	D26/76
D. 306,771	3/1990	Gecchelin	D26/75
D. 317,513	6/1991	Miller et al.	D25/119
4,676,043	6/1987	Grimm	D25/61
4,822,199	4/1989	Nehls	403/171
4,845,601	7/1989	Podbury et al.	362/125
5,072,343	12/1991	Buers	362/125
5,097,645	3/1992	Sanderson	403/171

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Evenson McKeown Edwards &

Lenahan

[57] **CLAIM**

The ornamental design for a lighting support of constant cross section, as shown and described.

DESCRIPTION

FIG. 1 is an end view of a first preferred embodiment of a lighting support of constant cross section according to my novel design;

FIG. 2 is an end view of a second preferred embodiment of a lighting support of constant cross section according to my novel design;

FIG. 3 is an end view of a third preferred embodiment of a lighting support of constant cross section according to my novel design;

FIG. 4 is an end view of a fourth preferred embodiment of a lighting support of constant cross section according to my novel design;

FIG. 5 is an end view of a fifth preferred embodiment of a lighting support of constant cross section according to my novel design;


FIG. 6 is an end view of a sixth preferred embodiment of a lighting support of constant cross section according to my novel design;

FIG. 7 is an end view of a seventh preferred embodiment of a lighting support of constant cross section according to my novel design; and,

FIG. 8 is an end view of an eighth preferred embodiment of a lighting support of constant cross section according to my novel design.

Each of the building elements of FIGS. 1-8 depict longitudinally extending lighting support of constant cross section.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8