



US00D367141S

United States Patent [19]

Suggs et al.

[11] Patent Number: Des. 367,141

[45] Date of Patent: **Feb. 13, 1996

[54] DRUM HANDLER

[75] Inventors: David W. Suggs, Aquilla; Donald R. Suggs, Sr., Denton, both of Tex.

[73] Assignee: Tire Shuttle, Inc., Elm Mott, Tex.

[**] Term: 14 Years

[21] Appl. No.: 30,691

[22] Filed: Nov. 4, 1994

[52] U.S. Cl. D34/27; 248/129; D34/24

[58] Field of Search D34/27, 28, 24,
D34/26; 280/47.24, 47.29, 47.23, 79.11;
248/129

[56] References Cited

U.S. PATENT DOCUMENTS

D. 349,385	8/1994	Suggs, Sr.	D34/24
4,294,481	10/1981	Pearl	248/129
5,035,438	7/1991	Cronquist	248/129
5,354,023	10/1994	Meeks	248/129

Primary Examiner—Kay H. Chin

Attorney, Agent, or Firm—Guy V. Manning

[57] CLAIM

The ornamental design for a drum handler, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a drum handler showing our new design, the broken lines of tire dolly are for illustrative purposes only and form no part of the claimed design;

FIG. 2 is a front elevational view of the drum handler of FIG. 1;


FIG. 3 is a right side elevational view of the drum handler as shown in FIG. 2;

FIG. 4 is a rear elevational view of the drum handler as shown in FIG. 2;

FIG. 5 is a left side elevational view of the drum handler as shown in FIG. 2;

FIG. 6 is a top plan view of the drum handler as shown in FIG. 2; and,

FIG. 7 is a bottom plan view of the drum handler as shown in FIG. 2.



1 Claim, 2 Drawing Sheets




Fig. 6




Fig. 1




Fig. 7

