



US00D367233S

United States Patent [19]
Hoshino

[11] **Patent Number: Des. 367,233**
[45] **Date of Patent: **Feb. 20, 1996**

[54] **ELECTRONIC THEODOLITE FOR DISTANCE MEASURING**

4,752,126 6/1988 Fujii 356/140

[75] Inventor: **Yukitaka Hoshino**, Tokyo, Japan

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Bacon & Thomas

[73] Assignee: **Sokkia Co., Ltd.**, Tokyo, Japan

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for an electronic theodolite for distance measuring, as shown.

[21] Appl. No.: **37,730**

DESCRIPTION

[22] Filed: **Apr. 19, 1995**

FIG. 1 is a front and right side perspective view of an electronic theodolite for distance measuring, showing my new design;

[30] **Foreign Application Priority Data**

Oct. 21, 1994 [JP] Japan 31740/94

FIG. 2 is a front elevational view thereof;

[52] **U.S. Cl.** **D10/66**

FIG. 3 is a rear side elevational view thereof;

[58] **Field of Search** D10/66; 33/290-299;
356/138-155

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

The telescope being shown in an alternate position in FIG. 1.

U.S. PATENT DOCUMENTS

D. 257,961 1/1981 Kooi D10/66

D. 333,276 2/1993 Donn D10/66

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6




FIG.7

