



US00D367432S

United States Patent [19]
Solloway

[11] **Patent Number:** **Des. 367,432**
[45] **Date of Patent:** ****Feb. 27, 1996**

[54] **TIRE INDICATOR**

[76] Inventor: **Daniel S. Solloway**, 5718 NW. 23rd St.,
#249 W., Oklahoma City, Okla. 73127

[**] Term: **14 Years**

[21] Appl. No.: **30,571**

[22] Filed: **Nov. 2, 1994**

[52] U.S. Cl. **D10/86**

[58] Field of Search D10/83, 85, 86;
D12/152; 116/34 R, 28 R; 152/523, 524

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 265,813	8/1982	Sladky	D12/152
D. 270,723	9/1983	McDonald	D12/152
4,171,676	10/1979	Kennel	116/342

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Thomas W. Tolpin

[57] **CLAIM**

The ornamental design for a tire indicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire indicator in a fully inflated tire with proper pressure showing my new design; FIG. 2 is a front view thereof; The back view is the same as the front view; The side view is flat and plain; FIG. 3 is a perspective view thereof in a partially deflated tire with inadequate pressure; and, FIG. 4 is a front view thereof.

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 2




FIG. 3




FIG. 4

