



US00D367717S

United States Patent [19] Prins

[11] Patent Number: **Des. 367,717**

[45] Date of Patent: ****Mar. 5, 1996**

[54] **RESILIENT TILE**

[76] Inventor: **Benjamin G. Prins**, 1702 London Road, Sarnia, Ontario, Canada, N7T 7H2

[**] Term: **14 Years**

[21] Appl. No.: **38,856**

[22] Filed: **May 11, 1995**

[30] **Foreign Application Priority Data**

Feb. 20, 1995 [CA] Canada 1995-0422

[52] U.S. Cl. **D25/140**

[58] Field of Search D25/113, 115, D25/118, 138, 139, 140, 143, 144, 149, 157, 158, 160-163; D52/574, 603, 605-608; D25/160-163; 404/29, 34, 63; D21/108

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 236,791 9/1975 Bruno et al. D25/158

999,509 8/1911 Lydon 52/607
3,243,932 4/1966 Bussey D25/157
3,593,819 7/1971 Giraudeau D25/158
4,963,054 10/1990 Hayashi 404/34

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Gregory Andoll
Attorney, Agent, or Firm—Riches, McKenzie & Herbert


[57] **CLAIM**

The ornamental design for a resilient tile, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a resilient tile showing my new design;
FIG. 2 is an elevational view of a first surface thereof;
FIG. 3 is a side elevational view thereof;
FIG. 4 is a side elevational view thereof;
FIG. 5 is an elevational view of a second surface thereof;
FIG. 6 is a side elevational view thereof; and,
FIG. 7 is a side elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.



FIG. 4.




FIG. 5.




FIG. 6.



FIG. 7.