



US00D367806S

United States Patent [19]
Neal

[11] **Patent Number: Des. 367,806**

[45] **Date of Patent: **Mar. 12, 1996**

[54] **COMBINATION LINESMAN'S PLIERS**

4,829,858 5/1989 Kern 81/415
5,119,520 6/1992 Finn 7/127

[76] Inventor: **Timothy L. Neal**, HC 71 Box 74,
Graysville, Tenn. 37338

OTHER PUBLICATIONS

Channel Lock Catalog, 1988, p. 7, Linemen's Pliers.
Techni Tools Catalog, p. 143, 1994, Safeline Pliers.

[**] Term: **14 Years**

Primary Examiner—Ted Shooman
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Richard C. Litman

[21] Appl. No.: **32,712**

[22] Filed: **Dec. 27, 1994**

[52] **U.S. Cl.** **D8/52**

[58] **Field of Search** D8/51, 52, 53,
D8/54, 55, 56, 107, 4; 16/110 R; 81/415,
416, 417, 418, 424.5, 427.5

[57] **CLAIM**

The ornamental design for a combination linesman's pliers,
as shown and described.

[56] **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

D. 297,609	9/1988	Bellon	D8/55
D. 310,951	10/1990	Monnet	D8/52
D. 323,960	2/1992	Wilhelm et al.	D8/5
D. 325,507	4/1992	Gasparetti	D8/52
D. 352,436	11/1994	Abel	D8/52
1,981,048	11/1934	Keller .	
2,057,201	10/1936	McCluskey	81/415
2,394,807	2/1946	Robinson	81/415
3,946,453	3/1976	Torres	81/418
4,244,067	1/1981	Rowe	7/107

FIG. 1 is a perspective view of a combination linesman's pliers showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view with the left side being a mirror image thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a rear elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 4




FIG. 5




FIG. 2




FIG. 3




FIG. 6