



US00D368473S

United States Patent [19]

Niijima et al.

[11] Patent Number: Des. 368,473
[45] Date of Patent: **Apr. 2, 1996

[54] COMMUNICATION DEVICE

D. 361,330 8/1995 Solomita et al. D14/148 X

[75] Inventors: Makoto Niijima; Yoshiaki Kumagai,
both of Tokyo, Japan

FOREIGN PATENT DOCUMENTS

2070392 9/1981 United Kingdom D14/138 X

[73] Assignee: Sony Corporation, Tokyo, Japan

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Beveridge, DeGrandi, Weilacher
& Young

[**] Term: 14 Years

[21] Appl. No.: 38,438

[57] CLAIM

[22] Filed: May 5, 1995

The ornamental design for a communication device, as
shown and described.

[52] U.S. Cl. D14/138; D14/147

[58] Field of Search D14/140, 142,
D14/137, 138, 147–151, 240, 248; 379/58–61,
419, 420, 428, 440, 433–436; 455/89, 90

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 296,626 5/1988 Watanabe D14/138
D. 305,118 12/1989 Pfeifer et al. D14/138
D. 316,261 4/1991 Langlois D14/147 X
D. 336,087 6/1993 Siddoway et al. D14/248 X
D. 347,221 5/1994 Siddoway D14/138
D. 348,458 7/1994 Brown et al. D14/138
D. 353,375 12/1994 Marquez D14/148 X

FIG. 1 is a perspective view of the communication device
showing our new design;

FIG. 2 is a perspective view thereof, shown in an open
position;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 7




FIG. 8




FIG. 6




FIG. 5

