

US00D368487S

United States Patent

Lindberg

Patent Number:

Des. 368,487

Date of Patent: [45]

**Apr. 2, 1996

[54]	INDEX GUIDE IN THE FORM OF A TAB
	INCORPORATING AN ORNAMENT

Bo Lindberg, Box 90, S-566 00 Habo, [76] Inventor:

Sweden

14 Years Term:

Appl. No.: 706,071

Filed: May 28, 1991

U.S. Cl. D19/1

[58] 40/1, 299, 305

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,535,804	10/1970	Cunningham	40/299
3,747,242	7/1973	Heimann	40/299
4,841,652	6/1989	Sakashita	40/299
4,865,352	9/1989	Gollon	40/299

Primary Examiner—Marcus A. Jackson Attorney, Agent, or Firm—Dann, Dorfman, Herrell and Skillman

[57] CLAIM

The ornamental design for an index guide in the form of a tab incorporating an ornament, as shown and described.

DESCRIPTION

FIGS. 1A to 1D are front, end rear and side elevational views, respectively, of an index guide in the form of a tab incorporating an ornament showing my new design; FIGS. 2A to 2D are a second embodiment thereof showing


front, end, rear and side elevational views respectively; FIGS. 3A to 3D are a third embodiment thereof showing front, end, rear and side elevational views, respectively; FIGS. 4A to 4D are a fourth embodiment thereof showing front, end, rear and side elevational views, respectively; FIGS. 5A to 5D is a fifth embodiment thereof showing front, end, rear and side elevational views respectively; FIGS. 6A to 6D are a sixth embodiment thereof showing front, end, rear, and side elevational views respectively; FIGS. 7A to 7D are a seventh embodiment thereof showing front, end, rear and side elevational veiws, respectively; FIGS. 8A to 8D is a eight embodiment thereof showing front, end, rear and side elevational views, respectively; FIGS. 9A to 9D is a ninth embodiment thereof showing front, end, rear and side elevational views, respectively; FIGS. 10A to 10D is a tenth embodiment thereof showing front, end, rear and side elevational views, respectively; FIGS. 11A to 11D is a eleventh embodiment thereof showing front, end, rear and side elevational views, respectively; FIGS. 12A to 12D is a twelfth embodiment thereof showing front, end, rear and side elevational views respectively; FIGS. 13A to 13D is a thirteenth embodiment thereof showing front, end, rear and side elevational views respec-

FIGS. 14A to 14D is a fourteenth embodiment thereof, showing of front, end, rear and side elevational views, respectively;


FIGS. 15A to 15D is a fifteenth embodiment thereof, showing front, end, rear and side elevational views, respectively; and,


FIGS. 16A to 16D is a sixteenth embodiment thereof showing front, end, rear and side elevational views, respectively.


1 Claim, 4 Drawing Sheets




tively;









UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : DES. 368,487

DATED : April 2, 1996

INVENTOR: : Bo Lindberg

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page: Item

--[30] Foreign Application Priority Data

December 27, 1990 [SE]......902730 December 27, 1990 [SE]......902731--

Signed and Sealed this

Twenty-third Day of July, 1996

Attest:

BRUCE LEHMAN

Commissioner of Patents and Trademarks

Attesting Officer