



US00D368542S

United States Patent [19]

deBlois et al.

[11] Patent Number: **Des. 368,542**

[45] Date of Patent: ****Apr. 2, 1996**

[54] **HEAD FOR A FLASHLIGHT**

D. 314,246 1/1991 Bache D26/62
3,111,277 11/1963 Grimsley D26/43 X

[75] Inventors: **Bryan P. deBlois**, West Haven;
Richard J. Carbone, Southbury, both
of Conn.

Primary Examiner—A. Hugo Word
Assistant Examiner—Lavone Tabor
Attorney, Agent, or Firm—Barry E. Deutsch

[73] Assignee: **Black & Decker Inc.**, Newark, Del.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a head for a flashlight, as shown and described.

[21] Appl. No.: **37,612**

[22] Filed: **Apr. 17, 1995**

[52] U.S. Cl. **D26/43**

[58] Field of Search D26/37, 43, 44,
D26/46, 49, 60, 62; 362/157, 158, 184,
188, 189, 191, 198, 199, 200, 202, 362,
396

DESCRIPTION

FIG. 1 is a perspective view taken from the front, top and right side of a head for a flashlight illustrating our new design, the portion shown in phantom is illustrative of a flexible core to which my new design may be attached; FIG. 2 is a left side elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.



The broken lines are for illustrative purposes only and form no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 147,258	8/1947	Becker	D26/43
D. 166,073	3/1952	Dunkelberger	D26/43
D. 228,519	10/1973	Moore	D26/49
D. 229,963	1/1974	Kahn	D26/49
D. 241,971	10/1976	Brindley	D26/49
D. 263,170	2/1982	Maglica	D26/49

1 Claim, 3 Drawing Sheets






FIG. 1





FIG. 2

FIG. 3

FIG. 5




FIG. 4




FIG. 6




FIG. 7

