



US00D368793S

United States Patent [19]

[11] Patent Number: **Des. 368,793**

Cook

[45] Date of Patent: ****Apr. 16, 1996**

[54] **BOOT**

[76] Inventor: **Gordon Cook, 780 Laird Blvd.,
Montreal, Quebec, Canada, H3B 1Y6**

[**] Term: **14 Years**

[21] Appl. No.: **33,734**

[22] Filed: **Jan. 19, 1995**

D. 170,543	10/1953	Murty	D2/911
D. 196,489	10/1963	Papoutsy	D2/954
D. 242,746	12/1976	DeMassaere	D2/911
D. 243,483	3/1977	Pietraszek	D2/911
D. 243,566	3/1977	DeMassaere	D2/910
D. 243,567	3/1977	DeMassaere	D2/910
D. 360,065	7/1995	Werman	D2/953
2,703,937	3/1955	McGinn	36/4
3,742,623	7/1973	Groothaert	36/4

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 15,210, Nov. 12, 1993, abandoned.

[30] Foreign Application Priority Data

Aug. 17, 1993 [CA] Canada 17-08-93-3

[52] U.S. Cl. **D2/911**

[58] Field of Search D2/909-912, 954,
D2/959, 953; 36/59 C, 59 R, 45, 4

[56] References Cited

U.S. PATENT DOCUMENTS

D. 55,730 7/1920 Tousley D2/912

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Lynn Cassan

[57] CLAIM



The ornamental design for a boot, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of a boot showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a back elevational view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

1 Claim, 2 Drawing Sheets








FIG. 3




FIG. 4




FIG. 5




FIG. 6