



US00D368901S

United States Patent [19]
Currid

[11] **Patent Number: Des. 368,901**
[45] **Date of Patent: **Apr. 16, 1996**

[54] **COMPUTER INPUT DEVICE**

[75] **Inventor: Stephen Currid, Finham, United Kingdom**

[73] **Assignee: Virtuality (IP) Limited, Leicester, United Kingdom**

[**] **Term: 14 Years**

[21] **Appl. No.: 34,140**

[22] **Filed: Jan. 27, 1995**

[30] **Foreign Application Priority Data**

Jul. 30, 1994 [GB] United Kingdom 2040754

[52] **U.S. Cl. D14/114**

[58] **Field of Search** D14/100, 114;
D13/158; D21/48; 178/18-19; 200/5 R,
5 A, 6 R, 6 A; 213/148 B; 273/148 B,
438; 345/156-167; 74/471

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 327,674 7/1992 Kuo D14/114

D. 340,042 10/1993 Copper et al. D14/114
D. 342,256 12/1993 Payne et al. D14/114 X
D. 349,491 8/1994 Copper et al. D14/114
D. 350,736 9/1994 Takahashi et al. D14/114

Primary Examiner—M. H. Tung
Attorney, Agent, or Firm—Young & Thompson


[57] **CLAIM**

The ornamental design for computer input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from above and one side showing my computer input device;
FIG. 2 is a right hand side elevation;
FIG. 3 is a top plan view;
FIG. 4 is a left hand side elevation;
FIG. 5 is a bottom plan view;
FIG. 6 is a front view; and,
FIG. 7 is a rear view.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7