



US00D369198S

United States Patent [19]
Hickman

[11] **Patent Number: Des. 369,198**
[45] **Date of Patent: **Apr. 23, 1996**

[54] **COMBINED FLY SWATTER AND VACUUM**

3,966,690 12/1976 Ridings 43/110
4,074,458 2/1978 Catlett 43/139
4,817,330 4/1989 Fahringer 43/139

[76] Inventor: **Edward R. Hickman**, P.O. Box 606,
Bayard, N.M. 88023-0606

[**] Term: **14 Years**

Primary Examiner—Doris V. Coles
Attorney, Agent, or Firm—Harpman & Harpman

[21] Appl. No.: **34,180**

[57] **CLAIM**

[22] Filed: **Jan. 30, 1995**

The ornamental design for a combined fly swatter and vacuum, as shown and described.

[52] U.S. Cl. **D22/124; D22/119**

[58] **Field of Search** D22/119-124;
15/344, 347; 43/139, 139, 110, 107, 121,
132

DESCRIPTION


FIG. 1 is a front, top and side perspective view of a combined fly swatter and vacuum, showing my new design. FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 301,273	5/1989	Leonard	D22/122
2,911,250	11/1959	Lossius	D22/124 X
2,934,851	5/1960	Grish	D22/124 X
2,963,816	12/1960	Miller	43/137
3,965,608	6/1976	Schuman	43/110

1 Claim, 3 Drawing Sheets






FIG. 1






FIG.4




FIG.5




FIG. 6




FIG. 7