



US00D369246S

United States Patent [19]

Schaevitz

[11] Patent Number: Des. 369,246

[45] Date of Patent: **Apr. 30, 1996

[54] SIT STAND

[76] Inventor: **Lester P. Schaevitz**, 431 Latch's La.,
Merion Station, Pa. 19066

[**] Term: **14 Years**

[21] Appl. No.: **17,977**

[22] Filed: **Jan. 26, 1994**

[52] U.S. Cl. **D6/364; D6/360; D6/367**

[58] Field of Search D6/334, 335, 349,
D6/360, 364, 365, 367, 370, 380, 500,
501, 502; 297/344.18, 344.19

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 207,102	3/1967	Hennessey		D6/365
D. 234,277	2/1975	Salmon		D6/349
D. 336,790	6/1993	Louers		D6/360
D. 349,820	8/1994	Schaevitz		D6/364
4,768,831	9/1988	Liedberg et al.		297/344.19

OTHER PUBLICATIONS

Industrial Design, Nov./Dec. 1977, p. 46, seat at bottom.

Primary Examiner—Gary D. Watson

Attorney, Agent, or Firm—Robert Charles Beam

[57] **CLAIM**

The ornamanetal design for a sit stand, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front of a first embodiment of the invention embodying the new design;

FIG. 2 is a front elevation view of the embodiment of FIG. 1;

FIG. 3 is a back elevation view of the embodiment of FIG. 1;

FIG. 4 is a side elevation view of the embodiment of FIG. 1, shown from the right side. The left side view is substantially a mirror image, the difference being in the absence of the ring on the left side of the adjustment pin;

FIG. 5 is a top plan view of the embodiment of FIG. 1;

FIG. 6 is a bottom plan view of the embodiment of FIG. 1;

FIG. 7 is a perspective view of the front of a second embodiment of the invention embodying the new design;

FIG. 8 is a front elevation view of the embodiment of FIG. 7;

FIG. 9 is a back elevation view of the embodiment of FIG. 7;

FIG. 10 is a side elevation view of the embodiment of FIG. 7, shown from the right side, but with the footing grate placed at the lowest level. The left side view is substantially a mirror image, the difference being in the absence of the ring on the left side of the adjustment pin;


FIG. 11 is a side elevation view of the embodiment of FIG. 7, shown from the right side, but with the footing grate placed at its intermediate level. The left side view is substantially a mirror image, the difference being in the absence of the ring on the left side of the adjustment pin;

FIG. 12 is a side elevation view of the embodiment of FIG. 7, shown from the right side, but with the footing grate placed at its highest level. The left side view is substantially a mirror image, the difference being in the absence of the ring on the left side of the adjustment pin;

FIG. 13 is a top plan view of the embodiment of FIG. 7; and,

FIG. 14 is a bottom plan view of the embodiment of FIG. 7.

1 Claim, 14 Drawing Sheets






Fig. 1





Fig. 2

Fig. 3






Fig. 4

Fig. 5





Fig. 6






Fig. 8





Fig. 9






Fig. 10




Fig. 11




Fig. 12

Fig. 13




Fig. 14

