



US00D369346S

United States Patent [19]
Tan

[11] **Patent Number: Des. 369,346**

[45] **Date of Patent: **Apr. 30, 1996**

[54] **FEMALE CABLE CONNECTOR**

5,104,243 4/1992 Harding D13/133 X
5,167,542 12/1992 Haitmanek D13/133 X
5,201,669 4/1993 Lin 439/350 X

[75] Inventor: **Haw-Chan Tan**, Diamond Bar, Calif.

[73] Assignee: **Hon Hai Precision Ind. Co., Ltd.**,
Taiwan

Primary Examiner—Joel Sincavage

[**] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a female cable connector, as shown.

[21] Appl. No.: **40,945**

[22] Filed: **Jun. 30, 1995**

[52] U.S. Cl. **D13/133**

[58] Field of Search D13/133, 146,
D13/147; 439/328, 350, 358, 677

DESCRIPTION


FIG. 1 is a perspective view of the female cable connector showing my design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 317,591 6/1991 Matsuzaki D13/147
D. 328,890 8/1992 Tomikawa et al. D13/147
4,838,810 6/1989 Yoshimura et al. 439/350 X

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7