



US00D369372S

United States Patent [19]

Ishikawa et al.

[11] Patent Number: **Des. 369,372**

[45] Date of Patent: ****Apr. 30, 1996**

[54] CAMERA

[75] Inventors: **Yoshifumi Ishikawa**, Tokyo; **Takanori Kodaira**, Yokohama, both of Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **35,976**

[22] Filed: **Mar. 10, 1995**

[30] Foreign Application Priority Data

Sep. 12, 1994 [JP] Japan 6-27669

[52] U.S. Cl. **D16/218; D16/217**

[58] Field of Search D16/200-204,
D16/208, 209, 216-218, 211; 354/126,
202, 149.11, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 323,336 1/1992 Moro et al. D16/209

D. 329,864 9/1992 Kawagoe D16/218
D. 336,914 6/1993 Isozaki D16/218
D. 343,848 2/1994 Hatakeyama D16/218
4,557,574 12/1985 Kohno et al. 354/288

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

