



US00D369388S

United States Patent [19]

[11] Patent Number: **Des. 369,388**

Gilbert, Jr. et al.

[45] Date of Patent: ****Apr. 30, 1996**

[54] **NOISEMAKER**

Attorney, Agent, or Firm—Dougherty, Hessin, Beavers & Gilbert

[75] Inventors: **Lloyd Gilbert, Jr.**, Broken Arrow;
Mark S. Hanna, Tulsa, both of Okla.

[57] CLAIM

[73] Assignee: **Michael B. Fine**, Tulsa, Okla.

The ornamental design for a noisemaker, as shown and described.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **10,985**

FIG. 1 is a front elevational view of a first embodiment of a noisemaker of our new design, the rear elevational view being substantially identical thereto;

[22] Filed: **Jul. 21, 1993**

FIG. 2 is a top plan view thereof;

Related U.S. Application Data

FIG. 3 is a right side elevational view thereof, the left side elevational view being substantially identical thereto;

[63] Continuation-in-part of Ser. No. 930,139, Aug. 14, 1992.

FIG. 4 is a bottom plan view thereof;

[52] U.S. Cl. **D21/64; D21/100**

FIG. 5 is a front elevational view of a second embodiment of a noisemaker showing our new design, the rear elevational view being substantially identical thereto;

[58] Field of Search **D21/59, 64, 65, D21/100; 446/417, 418, 421, 422**

FIG. 6 is a top plan view thereof;

[56] References Cited

FIG. 7 is a right side elevational view thereof, the left side elevational view being substantially identical thereto;

U.S. PATENT DOCUMENTS

D. 32,982	7/1900	Jackson	D21/64
D. 73,752	11/1927	Marks	D21/65
D. 162,190	2/1956	Lippinon	D21/64
166,344	8/1875	Crandall	.	
D. 260,655	9/1981	Guay	D17/22
D. 276,827	12/1984	Jones	D21/65
D. 290,655	6/1987	Thomson et al.	D24/45
D. 312,844	12/1990	Jones	D21/64
D. 318,695	7/1991	Rosa	D21/65
471,046	3/1892	Wilskey	.	
1,567,803	12/1925	Ludwig	.	
3,157,000	11/1964	Stanig	446/418
3,444,772	5/1969	Martin	84/402
3,490,410	1/1970	Crawford, Sr.	116/67
3,499,361	3/1970	Harleman	84/402
3,783,733	1/1974	Zirimis	84/402
4,463,517	8/1984	Kerr et al.	446/421
4,810,228	3/1989	Huggins	446/418
4,976,651	12/1990	Frank	446/421

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a front elevational view of a third embodiment of a noisemaker showing our new design, the rear elevational view being substantially identical thereto;

FIG. 10 is a top plan view thereof;

FIG. 11 is a right side elevational view thereof, the left side elevational view being substantially identical thereto;

FIG. 12 is a bottom plan view thereof;


FIG. 13 is a front elevational view of a fourth embodiment of a noisemaker showing our new design which is similar to the first embodiment of FIGS. 1-4;

FIG. 14 is a front elevational view of a fifth embodiment of a noisemaker showing our new design which is similar to the second embodiment of FIGS. 5-8; and,

FIG. 15 is a front elevational view of a sixth embodiment of a noisemaker showing our new design which is similar to the third embodiment of FIGS. 9-12.

Primary Examiner—Dominic Simone

1 Claim, 4 Drawing Sheets






Fig. 2




Fig. 1




Fig. 3




Fig. 4

Fig. 6




Fig. 5




Fig. 8




Fig. 7




Fig. 10




Fig. 9




Fig. 12





Fig. 11






Fig. 13




Fig. 14




Fig. 15