

US00D369452S

United States Patent [19]

Fisher

Des. 369,452 Patent Number: **May 7, 1996 Date of Patent: [45]

[54]	NECKTII STRAP	E WITH ELASTIC COMFORT	3,737,917 6/1973 Orr 2/150 FOREIGN PATENT DOCUMENTS
[75]	Inventor:	Arvelle Fisher, 6059 Clemens Ave., St.	466084 5/1937 United Kingdom
		Louis, Mo. 63112-2015	Primary Examiner—Terry A. Wallace
[73]	Assignee:	Arvelle Fisher, St. Louis, Mo.	Assistant Examiner—Paula Mortimer Attorney, Agent, or Firm—Senniger, Powers, Leavitt &
[**]	Term:	14 Years	Roedel
[21]	Appl. No.:	: 34,858	[57] CLAIM
[22]	Filed:	Feb. 14, 1995	The ornamental design for a necktie with elastic comfort strap, as shown and described.
	Rel	ated U.S. Application Data	DESCRIPTION
[63]	Continuatio	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994	FIG. 1 is a front perspective view of a necktie with elastic
	Continuatio abandoned.	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994	FIG. 1 is a front perspective view of a necktie with elastic strap in a tied position showing my new design;
[52]	Continuatio abandoned. U.S. Cl	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994	FIG. 1 is a front perspective view of a necktie with elastic
[52]	Continuatio abandoned. U.S. Cl	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994 D2/605 earch	FIG. 1 is a front perspective view of a necktie with elastic strap in a tied position showing my new design; FIG. 2 is a front elevational view in an untied position; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof;
[52]	Continuatio abandoned. U.S. Cl	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994 D2/605 earch D2/500, 600, 605,	FIG. 1 is a front perspective view of a necktie with elastic strap in a tied position showing my new design; FIG. 2 is a front elevational view in an untied position; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof;
[52]	Continuatio abandoned. U.S. Cl	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994 D2/605 earch	FIG. 1 is a front perspective view of a necktie with elastic strap in a tied position showing my new design; FIG. 2 is a front elevational view in an untied position; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is an end elevational view thereof; and,
[52] [58]	Continuation abandoned. U.S. Cl. Field of S	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994 D2/605 earch D2/500, 600, 605, D2/607, 609, 670; 2/144, 145, 146, 150, 153, 155, 156; 132/273, 275	FIG. 1 is a front perspective view of a necktie with elastic strap in a tied position showing my new design; FIG. 2 is a front elevational view in an untied position; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is an end elevational view thereof; FIG. 7 is an opposite end elevational view thereof. The characteristic feature of my design resides with the
[52] [58] [56]	Continuation abandoned. U.S. Cl. Field of S U.S. U.S. U.S. Cl. U.S. Cl.	n-in-part of Ser. No. 29/007,800, Mar. 3, 1994 D2/605 earch	FIG. 1 is a front perspective view of a necktie with elastic strap in a tied position showing my new design; FIG. 2 is a front elevational view in an untied position; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is an end elevational view thereof; FIG. 7 is an opposite end elevational view thereof.

