

US00D369458S

United States Patent

Adams

Patent Number: [11]

Des. 369,458

Date of Patent: [45]

**May 7, 1996

54]	SHOE POCKET		Primary Examiner—Doris V. Coles	
76]	Inventor:	William C. Adams, 23374 Serene	Attorney, Agei	nt, or Firm—Richard C. Litman
		Meadow Dr. S., Boca Raton, Fla. 33428	[57]	CLAIM

[**] 14 Years Term: Appl. No.: 23,979 Jun. 6, 1994 [22] Filed:

[52] D2/946 D2/978, 905; D3/215, 226; 2/247, 245; D8/329; 24/712–712.9; 224/253, 229, 241,

242; 36/136, 132, 114

References Cited [56]

U.S. PATENT DOCUMENTS

D. 278,092 D. 356,664 1,761,834 3,018,570 4,485,496 4,612,714 4,630,383 4,644,673 4,697,363 4,807,882	3/1995 6/1930 1/1962 12/1984 9/1986	Gamm D2/918 Cesaretti D2/905 King et al. 2/245 Bliese D2/923 X Shanks, Jr. 2/247 Gamm 36/136 Gamm 36/136 Gamm 36/136 Harrell 36/136
, ,	,	Gamm
4,817,306 5,082,157	4/1989 1/1992	Bayer
5,094,016 5,103,884 5,311,679	4/1992	DiVito

FOREIGN PATENT DOCUMENTS

2530427 1/1984 France.

CLAIM [3/]

The ornamental design for a shoe pocket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoe pocket showing my new design;

FIG. 2 is a perspective view of a second embodiment thereof;

FIG. 3 is a front elevational view of the first embodiment thereof;

FIG. 4 is a right side elevational view with the left side being a mirror image thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a rear elevational view thereof;


FIG. 8 is a front elevational view of the second embodiment thereof;

FIG. 9 is a right side elevational view with the left side being a mirror image thereof; and,

FIG. 10 is a bottom elevational view thereof.


The top view of the second embodiment is identical to the top view of the first embodiment. The broken line showing of a button and shoe in FIG. 1, a button in FIG. 3, and securing stitching for velcro in FIGS. 2 and 8 is for illustrative purposes only and forms no part of the claimed design.


1 Claim, 2 Drawing Sheets





U.S. Patent Des. 369,458 May 7, 1996 Sheet 1 of 2 F/G. 1 F1G. 2


Des. 369,458














F/G. 7



F/G. 8



F1G. 9



F1G. 10