



US00D369751S

United States Patent [19]
Boyer et al.

[11] **Patent Number: Des. 369,751**
[45] **Date of Patent: **May 14, 1996**

[54] **WRISTWATCH WITH REMOTE SPEAKER**

[75] Inventors: **Carl Boyer**, Glencoe, Ill.; **George Yip**,
Kwai Chung, Hong Kong

[73] Assignee: **E. Gluck Corporation**, Long Island
City, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **42,116**

[22] Filed: **Aug. 1, 1995**

[52] U.S. Cl. **D10/31; D10/32**

[58] **Field of Search** D10/1-40, 122-132;
D14/192, 218, 179; 368/280-282, 82-84,
276-277, 239-242, 285, 10; 455/100, 344,
350

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 345,736	4/1994	Scheid	D14/191
D. 354,488	1/1995	Hutcheson .	
3,032,651	5/1962	Gisiger-Stähli et al. .	
3,474,558	10/1969	Huber	D10/32 X
3,766,674	10/1973	Bersche	D10/32 X
3,780,918	12/1973	Curtis	D10/32 X
3,998,045	12/1976	Lester .	
4,120,039	10/1978	Fischer .	
4,419,770	12/1983	Yagi et al. .	
4,629,329	12/1986	Komiyama .	
4,847,818	7/1989	Oravetz .	
5,197,044	3/1993	Pierce et al. .	
5,218,577	6/1993	Seager .	
5,224,076	6/1993	Thorp .	
5,239,521	8/1993	Blonder .	
5,251,189	10/1993	Thorp .	
5,260,915	11/1993	Houlihan .	
5,381,387	5/1994	Blonder .	

OTHER PUBLICATIONS

Advertising brochure entitled "Model CTB Constant Torque Hinge", Reell Precision Manufacturing Corporation, 1259 Wolters Blvd., St. Paul, Minnesota 55110, U.S.A.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Gottlieb, Rackman & Reisman

[57] **CLAIM**


The ornamental design for a wristwatch with remote speaker, as shown and described.




DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of the new design;
 FIG. 2 is a left side elevational view of a first embodiment thereof;
 FIG. 3 is a right side elevational view of a first embodiment thereof;
 FIG. 4 is front elevational view of a first embodiment thereof;
 FIG. 5 is a bottom plan view of a first embodiment thereof;
 FIG. 6 is a rear elevational view of a first embodiment thereof;
 FIG. 7 is a top plan view of a second embodiment of the new design;
 FIG. 8 is a left side elevational view of a second embodiment thereof;
 FIG. 9 is a right side elevational view of a second embodiment thereof;
 FIG. 10 is a front elevational view of a second embodiment thereof;
 FIG. 11 is a bottom plan view of a second embodiment thereof;
 FIG. 12 is a rear elevational view of a second embodiment thereof;
 FIG. 13 is a top plan view of a third embodiment of the new design;
 FIG. 14 is a left side elevational view of a third embodiment thereof;
 FIG. 15 is a right side elevational view of a third embodiment thereof;
 FIG. 16 is a front elevational view of a third embodiment thereof;
 FIG. 17 is a bottom plan view of a third embodiment thereof; and,
 FIG. 18 is a rear elevational view of a third embodiment thereof.

The broken line showings of a dial and hands in FIG. 1, 7, and 1 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets









FIG. 11

FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 16




FIG. 17




FIG. 18