



US00D369769S

United States Patent [19]

Attinello et al.

[11] Patent Number: **Des. 369,769**

[45] Date of Patent: ****May 14, 1996**

[54] **SURFACE PATTERN APPLIED TO A TIRE SIDEWALL**

[75] Inventors: **John S. Attinello**, Hartville; **William E. Glover**, Akron; **Samuel P. Landers**, Uniontown, all of Ohio; **Kevin A. Reid**, Asheville, N.C.

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **35,689**

[22] Filed: **Mar. 6, 1995**

Related U.S. Application Data

[60] Division of Ser. No. 740,218, Aug. 5, 1991, Pat. No. Des. 362,223, which is a continuation-in-part of Ser. No. 667,100, Mar. 8, 1991, abandoned.

[52] U.S. Cl. **D12/152**

[58] Field of Search D12/152; 152/523, 152/524

[56] References Cited

U.S. PATENT DOCUMENTS

D. 91,322 1/1934 James D12/152
D. 198,737 7/1964 Ward D12/152

D. 208,684 9/1967 Yizina, Jr. D12/152
D. 220,929 6/1971 Prizewodek et al. .
D. 222,215 10/1971 Munoz .
D. 222,216 10/1971 Overstreet et al. .
D. 265,813 8/1982 Sladky D12/152

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[57] CLAIM

The ornamental design for a surface pattern applied to a tire sidewall, as shown and described.


DESCRIPTION

FIG. 1 is an elevational view of the surface pattern applied to a tire sidewall; and,

FIG. 2 is an elevational view of an alternate embodiment of the surface pattern applied to a tire sidewall in FIG. 1;

The broken line showing of a tire sidewall in the drawing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG-1




FIG-2