



US00D370439S

United States Patent [19]

Feider et al.

[11] Patent Number: Des. 370,439

[45] Date of Patent: **Jun. 4, 1996

[54] TIRE TREAD

[75] Inventors: **Georges G. Feider**, Petange;
Jean-Michel Gillard, Mersch, both of
Luxembourg; **Eric P. M. Muller**,
Waldwisse, France; **Daniel Scheuren**,
Bastogne, Belgium

[73] Assignee: **The Goodyear Tire & Rubber
Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **17,234**

[22] Filed: **Jan. 7, 1994**

[52] U.S. Cl. **D12/141**

[58] Field of Search D12/141-143,
D12/145-148; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 331,554 12/1992 Dixon D12/147
D. 334,370 3/1993 White D12/147

OTHER PUBLICATIONS

1987 Tread Design Guide, p. 161, Bridgestone V-Steel Rib
184 Tire, second row down from top, center of page.
1993 Tread Design Guide, p. 145, Hankook F70 Tire, top
center of page.

Modern Tire Dealer, Nov. 1992, p. 56, Dunlop SP361 Tire,
center of page.

1987 Tread Design Guide, p. 161, Bridgestone V-Steel Rib
194 Tire, second row down from top & second Tire in from
right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[57] CLAIM

The ornamental design for a tire tread, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a side elevational view thereof; and,

FIG. 4 is an enlarged fragmentary front view thereof.

The tread pattern is understood to be repeated uniformly
throughout the circumference of the tire tread.

The broken line showing of the tire sidewall in the drawings
is for illustrative purposes only and forms no part of the
claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3

