



US00D370452S

United States Patent [19]
Beasley

[11] **Patent Number: Des. 370,452**

[45] **Date of Patent: **Jun. 4, 1996**

[54] **MULTI-PURPOSE BUMPER ACCESSORY**

[76] Inventor: **Terry D. Beasley**, 4801 Johnson's Pond Rd., Apex, N.C. 27502

[**] Term: **14 Years**

[21] Appl. No.: **35,995**

[22] Filed: **Mar. 10, 1995**

[52] U.S. Cl. **D12/203**

[58] Field of Search D12/203, 202;
D25/62, 63, 69; 182/90, 91, 92; 280/163

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 42,145	2/1912	Morse	D12/203
D. 296,431	6/1988	Yont	D12/203
493,373	3/1893	Alexander	182/91
654,535	7/1900	Glover	182/91
3,580,613	5/1971	Northrop	280/500
3,627,350	12/1971	Cross	182/91 X
3,762,742	10/1973	Bucklen	D12/203
4,056,270	11/1977	Greenfield	280/166
4,620,609	11/1986	Elsten	182/92
4,943,076	7/1990	Tripke	280/166
4,947,961	8/1990	Dudley	182/92
5,265,896	11/1993	Kravitz	280/163

Primary Examiner—Alan P. Douglas

Assistant Examiner—S. Snapp

Attorney, Agent, or Firm—David L. Baker; Rhodes & Ascolillo

[57] **CLAIM**

The ornamental design for a multi-purpose bumper accessory, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a multi-purpose bumper accessory showing my new design therefor; the broken line drawing representing an automotive bumper is for purposes of illustration only and forms no part of my design;

FIG. 2 is a perspective view revealing an alternative configuration;

FIG. 3 is a perspective view as shown in FIG. 1 relieved of attachment to broken-line bumper;

FIG. 4 is a front elevational view;


FIG. 5 is a rear elevational view;

FIG. 6 is a right side elevational view, the left side elevational view being a mirror image thereof;

FIG. 7 is a top plan view; and,

FIG. 8 is a bottom plan view.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2





FIG. 3

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

